



AirJet® PAK 5C-25

Designed to complement the NVIDIA Jetson Orin Nano Super 25W SoM

- Fully self contained, plug and play thermal solution that includes multiple AirJet chips and drive circuitry
- Mounts directly on NVIDIA's Jetson Orin Nano Super
- Autonomous operation
- Thin, silent, vibration free, dustproof and water resistant
- Supports Nano Super's 67 TOPS - Dissipates net 25W


Heat is the biggest bottleneck in computing, but cooling is the only aspect of modern day computing that still uses century old technology. The need for vastly improved cooling to enable the massive processing required by AI is increasing rapidly, and with the forecast demand for Edge AI estimated to increase by over 300% by 2030, it will not slow down anytime soon.

The **AirJet PAK**, the world's first solid-state active cooling solution for Edge AI, leverages the revolutionary active cooling AirJet chip. The **AirJet PAK 5C-25** is a fully self contained active heat sink module.

Powerful Heat Removal - AirJet PAK 5C-25 removes net 25 W of heat at a silent 29 dBA, while consuming a maximum of 6.5 W of power, when integrated into a compute platform with a spreader temperature of 80C, outperforming fans in compact Edge AI devices.


Unleashing AI Performance - Designed to work seamlessly with the NVIDIA Jetson modules, including Orin Nano Super, the **AirJet PAK 5C-25** is just 9 mm thick. This ultra-slim profile opens up new possibilities for manufacturers catering to customer demand for higher performance in more compact, silent, vibration free, and dustproof devices.

Metric	AirJet® PAK 5C-25
Total net heat dissipation (@ 80C spreader temp, 25C ambient)	25 W
Maximum noise (at 50cm)	29 dBA
Maximum power consumption	6.5 W
Back pressure	1750 Pa
Dimensions (width x length x thickness)	100 x 65 x 9 mm
Weight	100 g



AirJet PAK	NVIDIA Jetson	TOPS	Power
AirJet PAK 5C-25	Orin Nano Super	67	25 W
AirJet PAK 5C-25	Orin NX 16GB	100	25 W
2x AirJet PAK 5C-25	AGX Orin 32GB	200	50 W

Each AirJet PAK 5C-25 contains 5 AirJet Chips - the world's first solid-state active cooling chip.



AirJet® PAK 5C-25


Sustained Performance and Reliability

The **AirJet PAK** generates 1750 Pascals of back pressure, ensuring effective air flow into and out of the cartridge, even when the air vents are covered with IP54 dustproof and water resistant filters. This, together with the **AirJet PAKs** intelligent self-cleaning capabilities, maximizes reliability and ensures the sustained thermal performance of the **AirJet PAK** and, as a result, the sustained high performance of the dustproof host device.

Driven autonomously, the **AirJet PAK** can independently sense the surrounding temperature using Thermoception, an innovation that allows the **AirJet PAK** to optimize its performance, maximizing heat removal without relying on temperature sensors in the host device. All the **AirJet PAK** needs to enable exceptional processor performance is a nominal power source from the host device.

In today's devices, what often determines performance is the capability of the thermal solution, not just the sophistication of the processor.


Thanks to **AirJet PAK 5C-25**, compact Edge AI electronic devices can now deliver on the promise of cutting edge AI technology. **Do more.**



AirJet PAKs are powered by the application board in the host device via a 6-pin Molex PicoBlade connector.

Designed to work seamlessly with the NVIDIA Jetson Orin NX and AGX Orin Modules inside host devices

NVIDIA Jetson Orin NX 16GB Benchmark Summary



Cross Section of AirJet® PAK Cartridge Inside Host Device

